



Global Specialty Products

USA, Inc

GL-DEFOAMER™

(Patent Pending)

**A MIXTURE OF ENVIRONMENTALLY SAFE ADDITIVES
DESIGNED TO SUPPRESS FOAM
IN PRINTING, PAPER PROCESSING,
PAINT & COATING, SYNTHETIC COOLANTS, GENERAL INDUSTRIAL
CLEANERS AND METAL DEGREASING.
IT IS EFFECTIVE OVER A WIDE PH RANGE (4-12).**

EASY TO USE:

SHAKE WELL BEFORE USING

Add 1 - 2 oz. of GL-Defoamer directly into your tank if excessive foaming occurs.
The foam should be reduced shortly.

For aqueous based cleaners, keep the temperature above 100 °F .

ENVIRONMENTALLY FRIENDLY:

? Non-flammable • Non-combustible

TYPICAL PROPERTIES

| | | | |
|--------------------------------------|--------------|--|----------|
| Appearance | Clear Liquid | Flash Point (°F) | >200 |
| Odor | Mild | Solubility (in water & organic solvents) | Miscible |
| Ideal Operating Concentration | 1 - 2 ozs. | Weight/Gal. (lbs. /gal.) | 9.80 |
| Viscosity (@68 °F) | 800 cps | | |

SAFETY AND HANDLING PRECAUTIONS:

CAUTION: May cause eye irritation. Avoid contact with eyes and prolonged contact with skin. **FIRST AID:** If eye contact occurs, immediately flush eyes with water. Seek medical attention if irritation persists. In case of skin contact, flush thoroughly with water. **Refer to MSDS for more information.**

DISPOSAL:

GL-DEFOAMER™ is nontoxic, * with low risk of environmental harm. Effluent analysis is required for proper waste disposal.

*Per OSHA & EPA regulations

STORAGE/PACKAGING:

Packaged in HDPE 5 gallon pails.
Store drums in a dry area. Do not freeze.

HMIS RATING:

Health 1 **Fire** 1 **Reactivity** 0

11272001